

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In claim 1, line 5, "absorbent" was replaced with --adsorbent--;

In claim 32, line 1, "absorbent" was replaced with --adsorbent--;

Authorization for this examiner's amendment was given in a telephone interview with Mr. Hong on November 7, 2008.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Irene Marx whose telephone number is (571) 272-0919. The examiner can normally be reached on M-F (6:30-3:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Wityshyn can be reached on 571-272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300 .

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Irene Marx/
Primary Examiner
Art Unit 1651